

נספח א': מפרט טכני לצינור מים (ע"פ ת"י 4427)

ע"ד מקס' (מ"מ)	ע"ד מינ' (מ"מ)	דרג	כינוי הצינור	PE
2.9	2.5	4	63	PE-63
3.3	2.9	SDR26	75	
2.3	2.0	6 SDR 21	40	PE-80
2.8	2.4		50	
3.4	3.0		63	
4.1	3.6		75	
4.9	4.3		90	
6.0	5.3		110	
6.7	6.0		125	
7.5	6.7		140	
8.6	7.7		160	
9.6	8.6		180	
10.7	9.6		200	
12.0	10.8		225	
2.3	2.0	8 SDR17	32	
2.8	2.4		40	
3.4	3.0		50	
4.3	3.8		63	
5.1	4.5		75	
6.1	5.4		90	
7.4	6.6		110	
8.3	7.4		125	
9.3	8.3		140	
10.6	9.5		160	
11.9	10.7		180	
13.2	11.9		200	
14.9	13.4		225	

ע"ד מינ' (מ"מ)	ע"ד מקס' (מ"מ)	דרג	כינוי הצינור	PE
2.3	2.0	10 SDR13.6	25	PE-80
2.8	2.4		32	
3.5	3.0		40	
4.2	3.7		50	
5.3	4.7		63	
6.3	5.6		75	
7.5	6.7		90	
9.1	8.1		110	
10.3	9.2		125	
11.5	10.3		140	
13.1	11.8		160	
14.8	13.3		180	
16.3	14.7		200	
18.4	16.6		225	
2.3	2.0	12.5 SDR11	20	
2.7	2.3		25	
3.4	3.0		32	
4.2	3.7		40	
5.2	4.6		50	
6.5	5.8		63	
7.6	6.8		75	
9.2	8.2		90	
11.1	10.0		110	
12.7	11.4		125	
14.1	12.7		140	
16.2	14.6		160	
18.2	16.4		180	

ע"ד מינ' (מ"מ)	ע"ד מקס' (מ"מ)	דרג	כינוי הצינור	PE
18.2	20.2	12.5 SDR11	200	PE-80
20.5	22.7		225	
2.0	2.3	16 SDR 9	16	
2.3	2.7		20	
3.0	3.4		25	
3.6	4.1		32	
4.5	5.1		40	
5.6	6.3		50	
7.1	8.0		63	
8.4	9.4		75	
10.1	11.3		90	
12.3	13.7		110	
14.0	15.6		125	
15.7	17.4		140	
17.9	19.8		160	
20.1	22.3		180	
22.4	24.8		200	
25.2	27.9		225	

ע"ד מינ' (מ"מ)	ע"ד מקס' (מ"מ)	דרג	כינוי הצינור	PE
2.3	2.0	6 SDR 26	50	PE-100
2.9	2.5		63	
3.3	2.9		75	
4.0	3.5		90	
4.8	4.2		110	
5.4	4.8		125	
6.1	5.4		140	
7.0	6.2		160	
7.7	6.9		180	
8.6	7.7		200	
9.6	8.6		225	
2.3	2.0	8 SDR 21	40	
2.8	2.4		50	
3.4	3.0		63	
4.1	3.6		75	
4.9	4.3		90	
6.0	5.3		110	
6.7	6.0		125	
7.5	6.7		140	
8.6	7.7		160	
9.6	8.6		180	
10.7	9.6		200	
12.0	10.8		225	

ע"ד מינ' (מ"מ)	ע"ד מקס' (מ"מ)	דרג	כינוי הצינור	PE
2.3	2.0	10 SDR 17	32	PE-100
2.8	2.4		40	
3.4	3.0		50	
4.3	3.8		63	
5.1	4.5		75	
6.1	5.4		90	
7.4	6.6		110	
8.3	7.4		125	
9.3	8.3		140	
10.6	9.5		160	
11.9	10.7		180	
13.3	11.9		200	
14.9	13.4		225	
2.3	2.0	12.5 SDR13.6	25	
2.8	2.4		32	
3.5	3.0		40	
4.2	3.7		50	
5.3	4.7		63	
6.3	5.6		75	
7.5	6.7		90	
9.1	8.1		110	
10.3	9.2		125	
11.5	10.3		140	
13.1	11.8		160	
14.8	13.3		180	
16.3	14.7		200	
18.4	16.6		225	

ע"ד מינ'	ע"ד מקס'	דרג	כינוי הצינור	PE
(מ"מ)	(מ"מ)			
2.3	2.0	16 SDR 11	16	PE-80
2.3	2.0		20	PE-100
2.7	2.3		25	
3.4	3.0		32	
4.2	3.7		40	
5.2	4.6		50	
6.5	5.8		63	
7.6	6.8		75	
9.2	8.2		90	
11.1	10.0		110	
12.7	11.4		125	
14.1	12.7		140	
16.2	14.6		160	
18.2	16.4		180	
20.2	18.2		200	
22.7	20.5		225	